

**Safety Data Sheet**

**Section 1: Identification of the Substance/Mixture and of the Company/Undertaking**

**1.1 Product identifier**

**Product Name** • Instant Power® Professional Disposer & Drain Cleaner (Lemon)

**Product Code** • MSDS No: 8815, 8816

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified use(s)** • Garbage disposer & drain cleaner

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer** • Scotch Corporation  
1255 Viceroy  
Dallas, TX 75247  
United States  
www.scotchcorp.com  
mail@scotchcorp.com

**Telephone (General)** • 1-800-334-2077

**EU Supplier** • Robimatic Ltd.  
Sandall Stones Road  
Kirk Sandall Industrial Estate Doncaster, England DN3 1QR  
United Kingdom

robimatic@polypipe.com

**Telephone (General)** • +44 (0) 1302-790-790

**Fax** • +44 (0) 1302-790-088

**1.4 Emergency telephone number**

- 1-800-424-9300 - CHEMTREC (USA)
- 1-703-527-3887 - CHEMTREC (International)

---

**Section 2: Hazards Identification**

---

**EU/EEC**

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

## 2.1 Classification of the substance or mixture

CLP • Not classified

DSD/DPD • Not classified

## 2.2 Label Elements

CLP

**Hazard statements** • No label element(s) required

DSD/DPD

**Risk phrases** • No label element(s) required

## 2.3 Other Hazards

CLP • According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.

DSD/DPD • According to European Directive 1999/45/EC this preparation is not considered dangerous.

---

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

## 2.1 Classification of the substance or mixture

OSHA HCS 2012 • Not classified

## 2.2 Label elements

OSHA HCS 2012

**Hazard statements** • No label element(s) required

## 2.3 Other hazards

OSHA HCS 2012 • This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

---

## Canada

According to WHMIS

## 2.1 Classification of the substance or mixture

WHMIS • Not classified

## 2.2 Label elements

WHMIS • No label element(s) required

## 2.3 Other hazards

WHMIS • In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

---

See Section 12 for Ecological Information.

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Proprietary	Proprietary	2.25%	Ingestion/Oral-Rat LD50 • 1378 mg/kg Skin-Rabbit LD50 • >2 g/kg	<b>EU DSD/DPD:</b> Self Classified: Xi R36 ; Xn R22 <b>EU CLP:</b> Self Classified: Eye Irrit. 2, H319; Acute Tox. 4, H302 <b>OSHA HCS 2012:</b> Eye Irrit 2; Acute Tox 4: Oral	NDA
Proprietary	Proprietary	1.3% TO 1.365%	NDA	<b>EU DSD/DPD:</b> Self Classified: Xi R36/37/38 <b>EU CLP:</b> Self Classification: Eye Irrit. 2, H319; Skin Irrit. 2, H315; STOT SE 3: Resp. Irrit., H335 <b>OSHA HCS 2012:</b> Eye Irrit. 2; Skin Irrit 2; STOT SE 3: Resp. Irrit.	NDA
Proprietary	Proprietary	0% TO 3.5%	Ingestion/Oral-Rat LD50 • 10 g/kg	<b>EU DSD/DPD:</b> <b>EU CLP:</b> Annex VI: Acute Tox. 4, H302; Eye Dam. 1, H318 <b>OSHA HCS 2012:</b> Eye Irrit. 2; Skin Irrit. 2 (RTECS)	NDA
Lemon fragrance	Proprietary	0% TO 0.3%	NDA	<b>EU DSD/DPD:</b> Self Classified: R10, Xi R36/37, R43 <b>EU CLP:</b> Self Classified: Flam. Liq. 3, H226; Eye Irrit. 2, H319; STOT SE 3: Resp. Irrit., H335; Skin Sens. 1, H317 <b>OSHA HCS 2012:</b> Flam. Liq. 3; Eye Irrit. 2; STOT SE 3: Resp. Irrit.; Skin Sens. 1	NDA
Bacterial cultures	NDA	3.5%	NDA	<b>EU DSD/DPD:</b> Xi R36/37 <b>EU CLP:</b> Eye Irrit 2, H319; STOT SE 3: Resp. Irrit., H335 <b>OSHA HCS 2012:</b> Eye Irrit. 2; STOT SE 3: Resp. Irrit.	NDA

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

- Inhalation**
- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if discomfort occurs.
- Skin**
- In case of contact with substance, immediately flush skin with running water and soap for several minutes. Get medical attention immediately if discomfort occurs.
- Eye**
- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- If large quantities have been ingested, give 3 to 4 glasses of water. Do NOT induce vomiting. Seek medical attention if discomfort occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

- Suitable Extinguishing Media** • Foam, CO2, dry chemical, water spray, alcohol foam - chosen based on nature of the surrounding fire.
- Unsuitable Extinguishing Media** • None known.

### 5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards** • None known.
- Hazardous Combustion Products** • None known.

### 5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions** • Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Emergency Procedures** • Keep unauthorized personnel away.

### 6.2 Environmental precautions

- Avoid run off to waterways and sewers.

### 6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures** • Dike and control spill. Absorb with an inert material and transfer all material into a properly labeled container for disposal. Wear appropriate protective clothing.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

- Handling** • Read the entire label before using the product. Keep out of reach of children.

### 7.2 Conditions for safe storage, including any incompatibilities

- Storage** • Store at moderate temperatures. Storage Temperature: 120F Max, 35F Min, Indoor. Always store material in its original container. Keep container tightly closed.

### 7.3 Specific end use(s)

- Garbage disposer & drain cleaner.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines			
	Result	Canada Ontario	United Kingdom
1,2-Propanediol (57-55-6)	STELs	Not established	450 ppm STEL (calculated, total particulate and vapour); 1422 mg/m <sup>3</sup> STEL (calculated, total particulate and vapour); 30 mg/m <sup>3</sup> STEL (calculated, particulate)
	TWAs	10 mg/m <sup>3</sup> TWA (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present, aerosol only); 50 ppm TWA (aerosol and vapor); 155 mg/m <sup>3</sup> TWA (aerosol and vapor)	150 ppm TWA (total particulate and vapour); 474 mg/m <sup>3</sup> TWA (total particulate and vapour); 10 mg/m <sup>3</sup> TWA (particulate)

### 8.2 Exposure controls

#### Engineering

#### Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal Protective Equipment

#### Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

#### Eye/Face

- Wear protective eyewear (goggles, face shield, or safety glasses).

#### Skin/Body

- Wear appropriate gloves.

#### General Industrial Hygiene

#### Considerations

- Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes or on skin or clothing. Handle in accordance with good industrial hygiene and safety practice.

#### Environmental

#### Exposure Controls

- Follow best practice for site management and disposal of waste.

#### Key to abbreviations

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear yellow with lemon
Color	Clear yellow	Odor	Lemon
Odor Threshold	Data lacking		
General Properties			
Boiling Point	Data lacking	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	9.1 to 9.5
Specific Gravity/Relative Density	1.004 Water=1	Water Solubility	Soluble
Viscosity	Non-viscous	Explosive Properties	Not explosive.

Oxidizing Properties:	Not an oxidizer.		
<b>Volatility</b>			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
<b>Flammability</b>			
Flash Point	Not flammable	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not Flammable.		
<b>Environmental</b>			
Octanol/Water Partition coefficient	Data lacking		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Incompatible materials.

### 10.5 Incompatible materials

- Strong acids, alkali, and halogen compounds. Oxidizing agents such as chlorine bleach and hydrogen peroxide and disinfectants.

### 10.6 Hazardous decomposition products

- Oxides of carbon.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Components		
Proprietary (0% TO 3.5%)	Proprietary	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 10 g/kg; <b>Irritation:</b> Eye-Rabbit • 100 mg 24 Hour(s) • Moderate irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation

GHS Properties	Classification
Acute toxicity	<b>EU/CLP</b> •Classification criteria not met <b>OSHA HCS 2012</b> •Classification criteria not met

Aspiration Hazard	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Carcinogenicity	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Germ Cell Mutagenicity	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Skin corrosion/Irritation	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Skin sensitization	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
STOT-RE	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
STOT-SE	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Toxicity for Reproduction	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Respiratory sensitization	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met
Serious eye damage/Irritation	EU/CLP•Classification criteria not met OSHA HCS 2012•Classification criteria not met

**Route(s) of entry/exposure** • Inhalation, Skin, Eye, and Ingestion

### Potential Health Effects

#### Inhalation

- Acute (Immediate)** • Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)** • Repeated and prolonged exposure may cause sensitization of the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Skin

- Acute (Immediate)** • Under normal conditions of use, no health effects are expected. May cause allergenic skin reaction.
- Chronic (Delayed)** • Prolonged skin contact may cause reddening of skin with irritation leading potentially to dermatitis.

#### Eye

- Acute (Immediate)** • Direct contact with eyes may cause irritation.
- Chronic (Delayed)** • Direct contact with eyes for a prolonged period of time can cause irritation.

#### Ingestion

- Acute (Immediate)** • Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)** • No data available.

#### Carcinogenic Effects

- The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP and IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

#### Key to abbreviations

LD = Lethal Dose  
MOD = Moderate

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

### 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

**Product waste** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not regulated	NDA	NDA	NDA
ADR/RID	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not regulated	NDA	NDA	NDA

14.6 Special precautions for user

- None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Not relevant.



## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### SARA Hazard Classifications

- Not classified

### 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

---

## Section 16 - Other Information

### Relevant Phrases (code & full text)

- H226 - Flammable liquid and vapour
- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H335 - May cause respiratory irritation
- R10 - Flammable.
- R22 - Harmful if swallowed.
- R36 - Irritating to eyes.
- R36/37 - Irritating to eyes and respiratory system.
- R36/37/38 - Irritating to eyes, respiratory system and skin.
- R41 - Risk of serious damage to eyes.
- R43 - May cause sensitization by skin contact.

#### Last Revision Date

- 4/March/2015

#### Preparation Date

- 18/January/2013

#### Disclaimer/Statement of Liability

- The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

#### Key to abbreviations

NDA = No data available

---